



Date of compilation: 5/27/2022 Version: 1

# SECTION 1: IDENTIFICATION

# 1.1 GHS Product identifier:

Other means of identification:

Non-applicable

## **1.2** Recommended use of the chemical and restrictions on use:

Relevant uses: Fertilizer. For professional users only.

Uses advised against: All uses not specified in this section or in section 7.3

F-70

# 1.3 Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:

Redox Chemicals LLC 130 South 100 West PO Box 129 83318 Burley - Idaho - Estados Unidos Phone: 208-678-2610 - Fax: 208-677-3609 casey@redoxchem.com https://www.redoxgrows.com/

### 1.4 Emergency phone number: 208-678-2610

# SECTION 2: HAZARD(S) IDENTIFICATION

### 2.1 Classification of the substance or mixture:

### 29 CFR 1910.1200:

Classification of this product has been carried out in accordance with paragraph (d) of § 1910.1200. Aquatic Acute 2: Hazardous to the aquatic environment, acute hazard, Category 2, H401 Eye Dam. 1: Serious eye damage, Category 1, H318 Skin Corr. 1B: Skin corrosion, Category 1B, H314

# 2.2 Label elements:

# 29 CFR 1910.1200:

Danger



# Hazard statements:

Aquatic Acute 2: H401 - Toxic to aquatic life. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

# Precautionary statements:

P264: Wash thoroughly after use.

P280: Wear protective gloves/face protection/protective clothing/protective footwear.

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a poison center/doctor.

P501: Dispose of contents and / or containers in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

### 2.3 Hazards not otherwise classified (HNOC):

Non-applicable

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances:

Non-applicable

### 3.2 Mixtures:

Chemical description: Mixture of substances





#### Date of compilation: 5/27/2022 Version: 1

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

# **Components:**

Remaining components are non-hazardous and/or present at amounts below reportable limits. The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200. Therefore, in accordance with Appendix D to § 1910.1200, the product contains:

	Identification Chemical name/Classification			Concentration
CAS:	7664-93-9	sulphuric acid Acute Tox. 5: H303; Skin Corr. 1A: H314 - Danger	ALC	2.5 - <15 %
CAS:	7664-41-7	<b>ammonia, anhydrous</b> Acute Tox. 3: H331; Aquatic Acute 1: H400; Flam. Gas 2: H221; Press. Gas: H280; Skin Corr. 1B: H314 - Danger		2.5 - <15 %

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

# SECTION 4: FIRST-AID MEASURES

#### 4.1 **Description of necessary measures:**

Request medical assistance immediately, showing the SDS of this product.

#### By inhalation:

This product is not classified as hazardous through inhalation, however, it is recommended in case of intoxication symptoms to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

#### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

#### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as guickly as possible with the SDS of the product.

## By ingestion/aspiration:

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and its inhalation, to the respiratory system. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administrate anything orally unless supervised by a doctor. Keep the person affected at rest.

#### 4.2 Most important symptoms/effects, acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### Indication of immediate medical attention and special treatment needed, if necessary: 4.3

#### Non-applicable

# SECTION 5: FIRE-FIGHTING MEASURES

#### 5.1 Suitable (and unsuitable) extinguishing media:

# Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

# Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

#### 5.2 Specific hazards arising from the chemical:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

#### Special protective equipment and precautions for fire-fighters: 5.3

# Redox

# F-70



#### Date of compilation: 5/27/2022 Version: 1

# SECTION 5: FIRE-FIGHTING MEASURES (continued)

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

# Additional provisions:

As in any fire, prevent human exposure to fire, smoke, fumes or products of combustion. Only properly trained personnel should be involved in firefighting. Evacuate nonessential personnel from the fire area. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Sweep up and shovel product or other means and place in container for reuse (preferred) or disposal

For emergency responders:

See section 8.

## 6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

# 6.3 Methods and materials for containment and cleaning up:

It is recommended:

Sweep up and shovel product or other means and place in container for reuse (preferred) or disposal

#### 6.4 Reference to other sections:

See sections 8 and 13.

# SECTION 7: HANDLING AND STORAGE

# 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current standards 29 CFR 1910 Occupational Safety and Health Standards. Maintain order, cleanliness and destroy using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Due to its non-flammable nature, the product does not present a fire risk under normal conditions of storage, manipulation and use.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Sweep up and shovel product or other means and place in container for reuse (preferred) or disposal See sections 8 and 13.

# 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Store in a cool, dry, well-ventilated location

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:





#### Date of compilation: 5/27/2022 Version: 1 SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued) Substances whose occupational exposure limits have to be monitored in the workplace: US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000): Identification Occupational exposure limits 8-hour TWA PEL $1 \text{ ma/m}^3$ sulphuric acid Ceiling Values - TWA CAS: 7664-93-9 PFI 8-hour TWA PEL ammonia, anhydrous 50 ppm 35 mg/m<sup>3</sup> Ceiling Values - TWA CAS: 7664-41-7 PFI US. ACGIH Threshold Limit Values (2022): Identification Occupational exposure limits TLV-TWA sulphuric acid 0.2 mg/m<sup>3</sup> CAS: 7664-93-9 TLV-STEL TLV-TWA ammonia, anhydrous 25 ppm TLV-STEL 35 ppm CAS: 7664-41-7 CALIFORNIA- TABLE AC-1 PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS: Identification Occupational exposure limits 0.1 ma/m<sup>3</sup> sulphuric acid PEL CAS: 7664-93-9 STEL 3 ma/m<sup>3</sup> PEL 18 mg/m<sup>3</sup> ammonia, anhvdrous 25 ppm STEL 35 ppm 27 mg/m<sup>3</sup> CAS: 7664-41-7 Nuisance dust: Inhalable dust 10 mg/m3 // Respirable dust 4 mg/m3 8.2 Appropriate engineering controls: A.- Individual protection measures, such as personal protective equipment As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation, the information on clothing performance must be combined with professional judgment, and a clear understanding of the clothing application, to provide the best protection to the worker. All chemical protective clothing use must be based on a hazard assessment to determine the risks for exposure to chemicals and other hazards. Conduct hazard assessments in accordance with 29 CFR 1910.132. B.- Respiratory protection The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded. C.- Specific protection for the hands Pictogram PPE Remarks The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the NON-disposable chemical protective gloves product has come into contact with skin. Use gloves in accordance with manufacturer's use limitations and OSHA standard 1910.138 (29CFR) Mandatory hand protection

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

### D.- Eye and face protection

Pictogram	PPE	Remarks
Mandatory face protection	Face shield	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. Use this PPE in accordance with manufacturer's use limitations and OSHA standard 1910.133 (29CFR)

E.- Bodily protection

Pictogram	PPE	Remarks
Mandatory complete body protection	Disposable clothing for protection against chemical risks	For professional use only. Clean periodically according to the manufacturer's instructions.





Date of compilation: 5/27/2022 Version: 1

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Pictogram		PPE			Remarks
		otwear for protection against chemical risk	al Replace boots at any sign of deterioration. Use foot protection in accor manufacturer's use limitations and OSHA standard 1910.136 (29		
F Additional emerg	jency mea	asures			
Emergency me	easure	Standards		Emergency measure	Standards
Emergency sh	nower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011		Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Environmental ex	posure c	ontrols:			
In accordance with t spillage of both the p	the comm product a		nforma	ation see subsection 7.1.D	mmended to avoid environmental )
In accordance with t spillage of both the p	the comm product a <b>prganic c</b>	unity legislation for the protection of the protection of its container. For additional in	nforma	ation see subsection 7.1.D	
In accordance with t spillage of both the National volatile o	the comm product a <b>prganic c</b>	unity legislation for the protection dis container. For additional in compound emission standard	nforma	ation see subsection 7.1.D	
In accordance with t spillage of both the p <b>National volatile o</b> V.O.C.(weight-pe V.O.C. at 68 °F:	the comm product a <b>organic c</b> ercent):	unity legislation for the protection nd its container. For additional in compound emission standard 0 % weight	nforma	ation see subsection 7.1.D	
In accordance with t spillage of both the p <b>National volatile o</b> V.O.C.(weight-pe V.O.C. at 68 °F:	AND CH	unity legislation for the protection nd its container. For additional in compound emission standard 0 % weight 0 kg/m <sup>3</sup> (0 g/L)	nforma <b>is (40</b>	ation see subsection 7.1.D	
In accordance with t spillage of both the National volatile of V.O.C. (weight-pe V.O.C. at 68 °F: TION 9: PHYSICAL Information on ba	AND CH	unity legislation for the protection nd its container. For additional in compound emission standard 0 % weight 0 kg/m <sup>3</sup> (0 g/L) IEMICAL PROPERTIES	nforma <b>is (40</b>	ation see subsection 7.1.D	
In accordance with t spillage of both the National volatile of V.O.C. (weight-pe V.O.C. at 68 °F: TION 9: PHYSICAL Information on ba	AND CH	unity legislation for the protection nd its container. For additional in compound emission standard 0 % weight 0 kg/m <sup>3</sup> (0 g/L) EMICAL PROPERTIES	nforma <b>is (40</b>	ation see subsection 7.1.D	

Physical state at 68 °F:	Solid
Appearance:	Not available
Color:	Black
Odor:	Characteristic
Odour threshold:	Non-applicable *
Volatility:	
Boiling point at atmospheric pressure:	Non-applicable *
Vapour pressure at 68 <sup>o</sup> F:	Non-applicable *
Vapour pressure at 122 °F:	Non-applicable *
Evaporation rate at 68 <sup>o</sup> F:	Non-applicable *
Product description:	
Density at 68 <sup>o</sup> F:	Non-applicable *
Relative density at 68 °F:	Non-applicable *
Dynamic viscosity at 68 <sup>o</sup> F:	Non-applicable *
Kinematic viscosity at 68 °F:	Non-applicable *
Kinematic viscosity at 104 °F:	Non-applicable *
Concentration:	Non-applicable *
pH:	Non-applicable *
Vapour density at 68 °F:	Non-applicable *
Partition coefficient n-octanol/water 68 °F:	Non-applicable *
Solubility in water at 68 °F:	Non-applicable *
Solubility properties:	Non-applicable *
Decomposition temperature:	Non-applicable *



# F-70



Date of	compilation: 5/27/2022 Version: 1	
SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	S (continued)
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	Non-applicable
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	Non-applicable *
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Explosive (Solid):	
	Lower explosive limit:	Non-applicable *
	Upper explosive limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable *
9.2	Other information:	
	Information with regard to physical hazard class	sses:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 68 °F:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing info	rmation property of its hazards.

# SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

# 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

# 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

# **10.4** Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Not applicable	Not applicable

# **10.5** Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Not applicable	Not applicable	Precaution	Not applicable	Avoid alkalis or strong bases

# **10.6** Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

# SECTION 11: TOXICOLOGICAL INFORMATION

# **11.1** Information on toxicological effects:





Date of compilation: 5/27/2022 Version: 1

# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

The experimental information related to the toxicological properties of the product itself is not available

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure: A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Corrosive product, if it is swallowed causes burns destroying the tissues. For more information about secondary effects from skin contact see section 2.
- B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns. For more information on the secondary effects see section 2.
  - Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
  - IARC: Non-applicable
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

### Other information:

Non-applicable

#### Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
sulphuric acid	LD50 oral	2140 mg/kg	Rat
CAS: 7664-93-9	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
ammonia, anhydrous	LD50 oral	Non-applicable	
CAS: 7664-41-7	LD50 dermal	Non-applicable	
	LC50 inhalation	0.5 mg/L (ATEi)	





Date of compilation: 5/27/2022 Version: 1

# SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

## 12.1 Ecotoxicity (aquatic and terrestrial, where available):

#### Acute toxicity:

Identification		Concentration	Species	Genus
ammonia, anhydrous	LC50	>0.1 - 1 (96 h)		Fish
CAS: 7664-41-7	EC50	>0.1 - 1 (48 h)		Crustacean
	EC50	>0.1 - 1 (72 h)		Algae

# 12.2 Persistence and degradability:

Not available

#### **12.3** Bioaccumulative potential:

Not available

#### 12.4 Mobility in soil:

Not available

# 12.5 Results of PBT and vPvB assessment: Non-applicable

#### 12.6 Other adverse effects:

Not described

# SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Disposal methods:

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations. In case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See epigraph 6.2.

#### Regulations related to waste management:

Legislation related to waste management:

40 CFR Part 261- IDENTIFICATION AND LISTING OF HAZARDOUS WASTE

# SECTION 14: TRANSPORT INFORMATION

#### Transport of dangerous goods by land:

•		5 /				
With regard to 49	9 CFR o	n the Transport of Dangerous Goo	ods:			
Â	14.1	UN number:	UN1759			
	14.2	UN proper shipping name:	CORROSIVE SOLID, N.O.S. (sulphuric acid )			
	14.3	Transport hazard class(es):	8			
		Labels:	8			
	14.4	Packing group, if applicable:	II			
•	14.5	Marine pollutant:	No			
	14.6	• •	user needs to be aware of, or needs to comply with, in conveyance either within or outside their premises			
		Physico-Chemical properties:	see section 9			
		Limited quantities:	1 kg			
	14.7	Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	Non-applicable			
Transport of da	ngero	us goods by sea:				
With regard to IN	With regard to IMDG 39-18:					



F-70



Date of compilation: 5/27/2022	Version: 1	
SECTION 14: TRANSPORT	INFORMATION (continued)	
	UN number:	UN1759
	2 UN proper shipping name:	CORROSIVE SOLID, N.O.S. (sulphuric acid )
14.3	3 Transport hazard class(es):	8
	Labels:	8
	Packing group, if applicable:	II
	Marine pollutant:	No
14.6		user needs to be aware of, or needs to comply with, in conveyance either within or outside their premises
	Special regulations:	274
	EmS Codes:	F-A, S-B
	Physico-Chemical properties:	see section 9
	Limited quantities:	1 kg
	Segregation group:	Non-applicable
14.7	<ul> <li>Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):</li> </ul>	Non-applicable
Transport of danger	ous goods by air:	
With regard to IATA/IO	CAO 2022:	
<u> </u>	UN number:	UN1759
14.2	2 UN proper shipping name:	CORROSIVE SOLID, N.O.S. (sulphuric acid )
14.3	Transport hazard class(es):	8
	Labels:	8
14.4	Packing group, if applicable:	II
14.5	Marine pollutant:	No
14.6	connection with transport or	user needs to be aware of, or needs to comply with, in conveyance either within or outside their premises
	Physico-Chemical properties:	see section 9
14.7	<sup>7</sup> Transport in bulk (according to Annex II of MARPOL	Non-applicable

# SECTION 15: REGULATORY INFORMATION


#### 15.1 Safety, health and environmental regulations specific for the product in question:

73/78 and the IBC Code):

Toxic chemical release reporting under EPCRA section 313 (40 CFR Part 372): sulphuric acid ; ammonia, anhydrous California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986): Non-applicable The Toxic Substances Control Act (TSCA) : sulphuric acid ; ammonia, anhydrous Massachusetts RTK - Substance List: sulphuric acid ; ammonia, anhydrous New Jersey Worker and Community Right-to-Know Act: sulphuric acid ; ammonia, anhydrous New York RTK - Substance list: sulphuric acid ; ammonia, anhydrous Pennsylvania Worker and Community Right-to-Know Law: sulphuric acid ; ammonia, anhydrous CANADA-Domestic Substances List (DSL): sulphuric acid ; ammonia, anhydrous CANADA-Non-Domestic Substances List (NDSL): Non-applicable NTP (National Toxicology Program): sulphuric acid Minnesota - Hazardous substances ERTK: sulphuric acid ; ammonia, anhydrous Rhode Island - Hazardous substances RTK: sulphuric acid ; ammonia, anhydrous OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096): Non-applicable Hazardous Air Pollutants (Clean Air Act): Non-applicable CALIFORNIA LABOR CODE - The Hazardous Substances List: sulphuric acid ; ammonia, anhydrous Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) - Reportable Quantities: sulphuric acid (1000 pounds); ammonia, anhydrous (100 pounds) Specific provisions in terms of protecting people or the environment: It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local

circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

# Other legislation:





Date of compilation: 5/27/2022 Version: 1

# SECTION 15: REGULATORY INFORMATION (continued)

Take into consideration other applicable federal, state, and local laws and local regulations.

# SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Appendix d to §1910.1200 - Safety data sheets

#### Texts of the legislative phrases mentioned in section 2:

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H401: Toxic to aquatic life.

#### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### 29 CFR 1910.1200:

Acute Tox. 3: H331 - Toxic if inhaled. Acute Tox. 5: H303 - May be harmful if swallowed. Aquatic Acute 1: H400 - Very toxic to aquatic life. Flam. Gas 2: H221 - Flammable gas. Press. Gas: H280 - Contains gas under pressure, may explode if heated. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

# Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:

Occupational Safety & Health Administration (OSHA).

#### Abbreviations and acronyms:

IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 CL50: Lethal Concentration 50 EC50: Effective concentration 50 Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon IARC: International Agency for Research on Cancer Date of compilation: 5/27/2022

Manufacturer Disclaimer: The information contained in this safety date sheet ("SDS") is based on sources, technical knowledge and current legislation. Furthermore, is based on data believed to be accurate; thus, the company does not assume any liability for its accuracy. The information provided herein cannot be considered a guarantee of the properties of this product and the same is simply a description of the security requirements. The use, occupational methodology and/or conditions for users of this product are not within our awareness or control. It is ultimately the responsibility of the user(s) to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information of this SDS only refers to this product, which should not be used for purposes other than those specified. Finally, the manner in which this product is used and whether there is any infringement of patents is the sole responsibility of the user(s).