

Rx Platinum™

IMPROVES ROOT GROWTH &
MICROBIAL DIVERSITY



I-7-12

GUARANTEED ANALYSIS

Total Nitrogen (N).....	1%
0.25%	Ammoniacal Nitrogen
0.25%	Nitrate Nitrogen
0.50%	Urea Nitrogen

Available Phosphate (P2O5) 7%

Soluble Potash (K2O) 12%

DERIVED FROM AMMONIUM NITRATE, UREA, PHOSPHORIC ACID,
POTASSIUM HYDROXIDE

ALSO CONTAINS NON-PLANT FOOD INGREDIENT(S)

GUARANTEED ANALYSIS

SOIL AMENDING INGREDIENT(S):

2%	Humic Acids
98%	Total Other Ingredients

DERIVED FROM LEONARDITE

WHY Rx Platinum™?

Rx Platinum™ is a phosphorus and potassium fertilizer that contains proprietary soluble carbon compounds. Rx Platinum™ reduces abiotic stress, improves root growth, and increases soil microbial diversity due to humic, fulvic, and long-chain soluble carbon content. Rx Platinum™ utilizes technology from its proprietary formulations of diKaP™, Rootex™, and H-85™.

PRODUCT USAGE

Abiotic Stress Defense	Apply 0.5-3 gals./acre as a foliar/soil application every 1 to 6 weeks. Water in.
Heat Stress	Apply 0.5-3 gals./acre as a foliar/soil application every 1 to 6 weeks. Water in.
Root Growth	Apply 0.5-3 gals./acre as a soil application every 1 to 6 weeks. Water in.
Soil Health	Apply 1-3 gals./acre as a foliar/soil application every 1 to 6 weeks. Water in.

Rx Platinum™

IMPROVES ROOT GROWTH &
MICROBIAL DIVERSITY

Rx Platinum™ HANDLING GUIDELINES

PREMIXING

- Premixing is considered a best practice when sprayer agitation is not optimum. Proper hydration is essential for all applications. Recirculate or agitate while adding material.

ONCE THE MATERIAL IS ADDED TO WATER, CONSTANT AGITATION IS REQUIRED.

COMPATIBILITY

- Always jar test first.
- Redox products are compatible with other Redox products when following product handling guidelines.
- Use caution with reactive materials, such as phosphorus and calcium.
- Avoid extreme shifts in tank pH. When utilizing Redox materials that acidify, check tank pH prior to adding buffers.

TANK MIXING

- Use of an anti-foaming agent is recommended. Fill the tank 50% full with water and initiate tank agitation prior to adding materials.
- Don't add material too quickly—this allows for more thorough hydration.
- The use of inductor assemblies is encouraged.
- Recirculate or agitate while adding material.

ONCE THE MATERIAL IS ADDED TO WATER, CONSTANT AGITATION IS REQUIRED.

- Rinse after use.

REFER TO PRODUCT HANDLING GUIDELINES FOR ADDITIONAL MIXING INSTRUCTIONS.