# EZZOTM IMPROVES NUTRIENT UPTAKE





### 3-0-0 GUARANTEED ANALYSIS

Total Nitrogen (N)
Sulfur (S)
ALSO CONTAINS NON-PLANT FOOD INGREDIENT(S)  GUARANTEED ANALYSIS  SOIL AMENDING INGREDIENT(S):
1%

### WHY **F-70**™?

F-70™ is fulvic acid product that is highly plant active and will help in complexing and chelating of metal ions and enhance soil microbial activity.

### PRODUCT USAGE

Water Penetration	Apply 0.5-2 lbs./acre as a soil application every 1 to 4 weeks.
Soil Health	Apply 0.5-2 lbs./acre as a soil application every 1 to 4 weeks.
Root Growth	Apply 0.5-2 lbs./acre as a soil application every 1 to 4 weeks.
Nitrogen Efficiency	Apply 0.5-2 lbs./acre as a soil application every 1 to 4 weeks.

## F-70

### F-70™ HANDLING GUIDELINES

### PREMIXING

- Premixing is considered a best practice when sprayer agitation is not optimum. Proper hydration is essential for all applications. Recirculate or agitate while adding material.
- If agitating or recirculating with a diaphragm pump, rinse after use.

### COMPATIBILITY

- Always jar test first.
- Redox products are compatible with other Redox products when following product handling guidelines.
- Use caution with reactive materials, such as phosphorus and calcium.
- Avoid extreme shifts in tank pH. When utilizing Redox materials that acidify, check tank pH prior to adding buffers.

### **TANK MIXING**

- Use of an anti-foaming agent is recommended. Fill the tank 50% full with water and initiate tank agitation prior to adding materials.
- Don't add material too quickly—this allows for more thorough hydration.
- The use of inductor assemblies is encouraged.
- · Recirculate or agitate while adding material.
- If material is not applied immediately, tank recirculation is required prior to application to ensure uniform product distribution.

REFER TO PRODUCT HANDLING GUIDELINES FOR ADDITIONAL MIXING INSTRUCTIONS.

