



GUARANTEED ANALYSIS

WHY **TriPlex™ ZINC**?

TriPlex™ Zinc is an L-amino acid micro-nutrient fertilizer. Redox chelation and complexing technology improves zinc assimilation and movement within the plant.

PRODUCT USAGE

Plant Nutrition	Apply 0.25-6 lbs./acre as a soil application, 1 to 3 times, or 0.2-3 lbs./acre as a foliar application, 1 to 6 times.
Rapid Growth & Cell Expansion	Apply 0.25-2 lbs./acre as a foliar/soil application every I to 4 weeks.
Root Growth	Apply 0.25-2 lbs./acre as a foliar/soil application every I to 4 weeks.





TriPlex™ ZINC HANDLING GUIDELINES

PREMIXING

• Premixing is considered a best practice when sprayer agitation is not optimum. Proper hydration is essential for all applications. Recirculate or agitate while adding material.

ONCE THE MATERIAL IS ADDED TO WATER, CONSTANT AGITATION IS REQUIRED.

COMPATIBILITY

- · Always jar test first.
- Redox products are compatible with other Redox products when following product handling guidelines.
- Use caution with reactive materials, such as phosphorus and calcium.
- Avoid extreme shifts in tank pH. When utilizing Redox materials that acidify, check tank pH
 prior to adding buffers.

TANK MIXING

- Use of an anti-foaming agent is recommended. Fill the tank 50% full with water and initiate tank agitation prior to adding materials.
- Don't add material too quickly—this allows for more thorough hydration.
- The use of inductor assemblies is encouraged.
- · Recirculate or agitate while adding material.

ONCE THE MATERIAL IS ADDED TO WATER, CONSTANT AGITATION IS REQUIRED.

· Rinse after use.

REFER TO PRODUCT HANDLING GUIDELINES FOR ADDITIONAL MIXING INSTRUCTIONS.

