

# Banx<sup>TM</sup>

INCREASES CARBOHYDRATE  
AND NUTRITIONAL RESERVES



**0-20-32**

## GUARANTEED ANALYSIS

Available Phosphate (P<sub>2</sub>O<sub>5</sub>) ..... 20%

Soluble Potash (K<sub>2</sub>O) ..... 32%

Boron (B) ..... 1.5%

Zinc (Zn) ..... 6%

DERIVED FROM PHOSPHORIC ACID, POTASSIUM HYDROXIDE, ZINC SULFATE,  
AND BORIC ACID

## WHY Banx<sup>TM</sup>?

Banx<sup>TM</sup> is specifically formulated with the proper ratio of potassium, phosphorus, zinc, and boron to build carbohydrates and nutritional reserves within the plant.

### PERENNIALS

Carbohydrate storage improves bud differentiation, fruit set, and fruit size.

### ANNUALS

Carbohydrate production improves bulking.

## PRODUCT USAGE

<b>Carbohydrate Storage</b>	Apply 3-6 lbs./acre as a foliar application post-harvest.
<b>Plant Nutrition</b>	Apply 1-3 lbs./acre as a foliar or soil application every 2 to 4 weeks during the growing season.
<b>Fruit Size/Bulking</b>	Apply 1-3 lbs./acre as a foliar or soil application post cell division every 1 to 3 weeks.

## Banx<sup>TM</sup> HANDLING GUIDELINES

### PREMIXING

- Premixing is considered a best practice when sprayer agitation is not optimum. Proper hydration is essential for all applications. Recirculate or agitate while adding material.

### COMPATIBILITY

- Always jar test first.
- Redox products are compatible with other Redox products when following product handling guidelines.
- Use caution with reactive materials, such as phosphorus and calcium.
- Avoid extreme shifts in tank pH. When utilizing Redox materials that acidify, check tank pH prior to adding buffers.

### TANK MIXING

- Use of an anti-foaming agent is recommended. Fill the tank 50% full with water and initiate tank agitation prior to adding materials.
- Don't add material too quickly—this allows for more thorough hydration.
- The use of inductor assemblies is encouraged.
- Recirculate or agitate while adding material.
- Total foliar spray content of dry soluble Redox product should not exceed 2% solution (by weight).
- If material is not applied immediately, tank recirculation is required prior to application to ensure uniform product distribution.

REFER TO PRODUCT HANDLING GUIDELINES FOR ADDITIONAL MIXING INSTRUCTIONS.



Scan QR code for product information,  
mixing and handling