

# DermaPlex+™

IMPROVES SOIL HEALTH



## LIQUID FERTILIZER

2-0-3

### GUARANTEED ANALYSIS

Total Nitrogen (N)..... 2%  
2%..... Ammoniacal Nitrogen

Soluble Potash (K<sub>2</sub>O)..... 3%

Iron (Fe)..... 1%

Zinc (Zn)..... 1%

DERIVED FROM ANHYDROUS AMMONIA, POTASSIUM HYDROXIDE,  
FERROUS SULFATE, AND ZINC SULFATE

ALSO CONTAINS NON-PLANT FOOD INGREDIENT(S)

#### GUARANTEED ANALYSIS - SOIL AMENDING INGREDIENT(S):

5%..... Humic Acid from Leonardite

95%..... Inert Ingredients (as a non-plant food ingredient)

## WHY DermaPlex+™?

DermaPlex+™ is a biologically and chemically reacted plant nutrient high in soluble carbon. DermaPlex+™ improves soil biology and soil health due to the short-, medium-, and long-chain soluble carbon content and key Trichoderma metabolites.

## PRODUCT USAGE

<b>Water Penetration</b>	Apply 0.5-3 gals./acre as a soil application every 1 to 4 weeks.
<b>Soil Health</b>	Apply 1-5 gals./acre as a soil application every 1 to 4 weeks.
<b>Root Growth</b>	Apply 0.5-4 gals./acre as a soil application every 1 to 4 weeks.
<b>Nitrogen Efficiency</b>	Apply 0.5-2 gals./acre as a soil application every 1 to 4 weeks.

# DermaPlex+™

IMPROVES SOIL HEALTH

## DermaPlex+™ HANDLING GUIDELINES

### PREMIXING

- Premixing is considered a best practice when sprayer agitation is not optimum. Proper hydration is essential for all applications. Recirculate or agitate while adding material.
- If agitating or recirculating with a diaphragm pump, rinse after use.

### COMPATIBILITY

- Always jar test first.
- Redox products are compatible with other Redox products when following product handling guidelines.
- Use caution with reactive materials, such as phosphorus and calcium.
- Avoid extreme shifts in tank pH. When utilizing Redox materials that acidify, check tank pH prior to adding buffers.

### TANK MIXING

- Use of an anti-foaming agent is recommended. Fill the tank 50% full with water and initiate tank agitation prior to adding materials.
- Don't add material too quickly—this allows for more thorough hydration.
- The use of inductor assemblies is encouraged.
- Recirculate or agitate while adding material.
- If material is not applied immediately, tank recirculation is required prior to application to ensure uniform product distribution.

REFER TO PRODUCT HANDLING GUIDELINES FOR ADDITIONAL MIXING INSTRUCTIONS.



SCAN QR CODE FOR  
PRODUCT INFORMATION,  
MIXING AND HANDLING